




● Amber Beacon Warning Lights (rotating type)

All normal sized Heavy **Trucks** over 7000kg GVW must have three (3) approved amber coloured circular rotating beacons.



All normal sized Truck **Trailers** require the (2) rear bumper rotating beacons only.

- (1) Bolted on the Left side of the rear bumper
 - (1) Bolted on the Right side of the rear bumper
 - (1) Bolted on the Driver's cabin roof (not for trailers)
- Note: Magnetic fixing alone is not allowed





Amber Rotating Beacon Operational Requirements:

- Beacon on Driver's cabin roof must work with the headlights i.e. (on at night)
- Beacon on Left rear bumper must work with the headlights switch i.e. (on at night)



- Beacon on Right rear bumper must work with the brake lights




Due to customer demand the approved required parts and further details are now available from FAHES.



- **Amber Rotating Beacon Warning Lights (OVERSIZED ONLY) 2.6m or more wide**

'Heavy Trucks & Trailers' more than **2.6m wide** must have (3) approved amber coloured circular rotating flashing beacons on the rear bumper.

(1) Left and another (1) Right side of the rear bumper these must work with engine running.




(1) Center of the rear bumper working with brakes.

'OVERSIZED 4.2m or more high'

Heavy Trucks & Trailers more than **4.2m high** but less than 2.6m wide must have (2) where possible approved amber coloured rotating circular flashing beacons on the rear at the top. (1) at the top centrally is OK if (2) isn't practicable, also:

(1) Left side of the rear bumper working with lights.


(1) Right side of the rear bumper working with brakes.



'OVERSIZED both 4.2m high & 2.6m wide or more'

Rear top, left & right bumper rotating beacons on with engine running.

The rear bumper center amber rotating beacon must work with brakes.



Due to customer demand the approved required parts and further details are now available from FAHES.



- **Amber Rotating Beacon Warning Lights**

(HEAVY EQUIPMENT for ROAD USE)

' Heavy Equipment for Road Use' must have at least (1) approved amber coloured circular rotating flashing beacons that can be seen from the front, sides and behind by other road users this must operate when the equipment is being driven on the road.



Due to customer demand the approved required parts and further details are now available from FAHES.